

H-type Tracheo-esophageal Fistula in a Newborn: Determining the Exact Position of Fistula by Intra-operative Guide-wire Placement

Anko Antabak,¹ Tomislav Luetic,¹ Drago Caleta,² Ivan Romić^{1}*

1 Department of Surgery (Pediatric Surgery), University Hospital Centre, Zagreb

2 Department of Pediatrics, University Hospital Centre, Zagreb

***Corresponding author:** Ivan Romić, M.D., Department of Surgery, University Hospital Centre
Zagreb, Kispaticeva 12, 10 000 Zagreb,

E-mail: i.romic@gmail.com

Submitted: 05-04-2014

Running title: Role of guide-wire in detection of H type TEF

Conflict of Interest: None declared

Source of Support: Nil

Acknowledgements: Nil

Consent to Publication statement: Author(s) declared taking informed written consent for the publication of clinical photographs/material (if any used), from the legal guardian of the patient with an understanding that every effort will be made to conceal the identity of the patient, however it cannot be guaranteed.

Author Contribution: Author(s) declared to fulfill authorship criteria as devised by ICMJE and approved the final version. Authorship declaration form indicating individual contribution, submitted by the author(s), is available with the editorial office.

IRB Approval: NA (not applicable to case report)

Trial Registration Number: NA

Word count: 888 words.

Number of figures and tables. Figures: 2; Table:0